

FORMOR


PRODUCT MANUALS




Fortune Plus Technology (Guangzhou) Limited

INTRODUCTION

2014-2025⁺





Company Introduction

Fortune Plus is one of the leading professional OEM and ODM suppliers for furniture fittings, furniture hardware and relative accessories in China. Since 2014, we have been dedicated in furniture hardware designing, manufacturing and sourcing for foreign customers across the world. Our customers are mainly in the field of construction Material supper markets, furniture makers, and home decorative markets.

Fortune Plus' s headquarter is located in Guangzhou, the foreign trade center in China. Manufacturing unites for drawer slides and cabinet hinges are located in Jiayang City, 300km from Guangzhou. In 2018, we have developed our own brand FORMOR for one stop solution and space optimization for customized furniture as well.

Fortune Plus is a team of energetic youth with multinational culture. Our Mission is Branding Your Hardware. We keep on trying to create more values to our customers. Looking for your cooperation!

CONTENTS

CABINET HINGE SERIES

Three Way Soft Closing Hinge	06
Two Way 4D Soft Closing Hinge	09
One Way 3D Soft Closing Hinge	10
Corner Hinge	15
One Way SS Soft Closing Hinge	18
Aluminum Frame Hinge	19
Other Series Hinge	21

DRAWER SLIDE SERIES

Soft Closing & Push Open Drawer Slide	23
Soft Closing Drawer Slide	24
Push Open Drawer Slide	27
Ball Bearing Drawer Slide	29
Two Folds Drawer Slide	30
Powder Coating Drawer Slide	31
Heavy Duty Slide	32

DRAWER SYSTEM SERIES


Drawer System	35
Slim Drawer System	36

UNDERMOUNT SLIDE SERIES

Soft Closing Undermount Slide	39
Soft Closing & Push Open Undermount Slide	43
Push Open Undermount Slide	44

CONTENTS

LIFT SYSTEM	46
GAS SPRING	50
REBOUND DEVICE	51
KITCHEN PANTRY	53
FURNITURE FEET	60
CLOSET ACCESSORIES	62
WIRE GROMMET	63
HANDLE	65
DRAWER LOCK	68
SLIDING DOOR FITTINGS	72
LATCH & CROSS HINGE	76
SOFT CLOSING DOOR HINGE	77
AMERICAN HINGE	78
CABINET CATCH	79
CABINET SUSPENSION HANGER	83
MINIFIX	85



THREE WAY SOFT CLOSING HINGE



CH-T203

Material:	Cold-rolled Steel
Finish:	Titanium
Opening degree:	105°
Diameter of hinge cup:	35mm
Depth of hinge cup:	12mm
Range for door thickness:	16 - 25mm
Dimension of door:	3 - 7mm
Cup hole distance:	45mm/48mm/52mm




CH-T204

Material:	Cold-rolled Steel
Finish:	Titanium
Opening degree:	105°
Diameter of hinge cup:	35mm
Depth of hinge cup:	12mm
Range for door thickness:	16 - 25mm
Dimension of door:	3 - 7mm
Cup hole distance:	45mm/48mm/52mm



Hinge specification:
(unit: mm / Φ: dia)



Optional accessories:



THREE WAY SOFT CLOSING LINEAR HINGE



CH-T205

Material:	Cold-rolled Steel
Finish:	Titanium
Opening degree:	105°
Diameter of hinge cup:	35mm
Depth of hinge cup:	12mm
Range for door thickness:	16 - 25mm
Dimension of door:	3 - 7mm
Cup hole distance:	45mm/48mm/52mm



Installation Dimensions

D Value Adjustment Range: 6mm

D=Numerical of Door panel covering side panel


B Door Panel Thickness: 16–25mm

H=Base Height

C Side Panel Thickness: 16–22mm


K: Drilling Distance from Edge

Full overlay




D \ H \ K	3	4	5	6	7
0	17	18	19	20	21

Half overlay



D \ H \ K	3	4	5	6	7
0	9	10	11	12	13

Inset



A \ H \ K	3	4	5
0	2	1	0





CH-K201

Material:	Cold-rolled Steel
Finish:	Nickel
Opening degree:	105°
Diameter of hinge cup:	35mm
Depth of hinge cup:	11.5mm
Range for door thickness:	14 - 20mm
Dimension of door:	3 - 7mm
Cup hole distance:	45mm/48mm/52mm








CH-K202


Material:	Cold-rolled Steel
Finish:	Nickel
Opening degree:	105°
Diameter of hinge cup:	35mm
Depth of hinge cup:	11.5mm
Range for door thickness:	14 - 20mm
Dimension of door:	3 - 7mm
Cup hole distance:	45mm/48mm/52mm



Hinge specification:
(unit: mm / Φ: dia)



Optional accessories:



ONE WAY 3D SOFT CLOSING HINGE



CH-E001

Material:	Cold-rolled Steel
Finish:	Nickel
Opening degree:	105°
Diameter of hinge cup:	35mm
Depth of hinge cup:	11.5mm
Range for door thickness:	14 - 20mm
Dimension of door:	3 - 7mm
Cup hole distance:	45mm/48mm/52mm




CH-E002

Material:	Cold-rolled Steel
Finish:	Nickel
Opening degree:	105°
Diameter of hinge cup:	35mm
Depth of hinge cup:	11.5mm
Range for door thickness:	14 - 20mm
Dimension of door:	3 - 7mm
Cup hole distance:	45mm/48mm/52mm



Hinge specification:
(unit: mm / Φ: dia)



Optional accessories:



ONE WAY 3D SOFT CLOSING HINGE



CH-E005

Material:	Cold-rolled Steel
Finish:	Nickel
Opening degree:	105°
Diameter of hinge cup:	35mm
Depth of hinge cup:	11.5mm
Range for door thickness:	14 - 20mm
Dimension of door:	3 - 7mm
Cup hole distance:	45mm/48mm/52mm




CH-E006

Material:	Cold-rolled Steel
Finish:	Nickel
Opening degree:	105°
Diameter of hinge cup:	35mm
Depth of hinge cup:	11.5mm
Range for door thickness:	14 - 20mm
Dimension of door:	3 - 7mm
Cup hole distance:	45mm/48mm/52mm




Hinge specification:
(unit: mm / Φ: dia)



Optional accessories:



ONE WAY 3D SOFT CLOSING HINGE



CH-E009

Material:	Stainless Steel 201 / 304
Finish:	/
Opening degree:	105°
Diameter of hinge cup:	35mm
Depth of hinge cup:	11.5mm
Range for door thickness:	14 - 20mm
Dimension of door:	3 - 7mm
Cup hole distance:	45mm/48mm/52mm




CH-E011

Material:	Cold-rolled Steel
Finish:	Black
Opening degree:	105°
Diameter of hinge cup:	35mm
Depth of hinge cup:	11.5mm
Range for door thickness:	14 - 20mm
Dimension of door:	3 - 7mm
Cup hole distance:	45mm/48mm/52mm



Hinge specification:
(unit: mm / Φ: dia)



Optional accessories:



ONE WAY 3D SOFT CLOSING HINGE



CH-E030

Material:	Cold-Rolled Steel
Finish:	105°
Opening degree:	35mm
Diameter of hinge cup:	11.5mm
Depth of hinge cup:	14 - 20mm
Range for door thickness:	3 - 7mm
Dimension of door:	45mm/48mm/52mm
Cup hole distance:	




CH-E031

Material:	Cold-rolled Steel
Finish:	Nickel
Opening degree:	105°
Diameter of hinge cup:	35mm
Depth of hinge cup:	11.5mm
Range for door thickness:	14 - 20mm
Dimension of door:	3 - 7mm
Cup hole distance:	45mm/48mm/52mm



Hinge specification:
(unit: mm / Φ: dia)



Optional accessories:



ONE WAY 3D SOFT CLOSING HINGE



CH-E032

Material:	Cold-rolled Steel
Finish:	Nickel
Opening degree:	105°
Diameter of hinge cup:	35mm
Depth of hinge cup:	11.5mm
Range for door thickness:	14 - 20mm
Dimension of door:	3 - 7mm
Cup hole distance:	45mm/48mm/52mm




CH-E022

Material:	Cold-rolled Steel
Finish:	Nickel
Opening degree:	105°
Diameter of hinge cup:	35mm
Depth of hinge cup:	11.5mm
Range for door thickness:	14 - 20mm
Dimension of door:	3 - 7mm
Cup hole distance:	45mm/48mm/52mm



Hinge specification:
(unit: mm / Φ: dia)



Optional accessories:



165° CORNER HINGE



CH-I040






Material:	Cold-rolled Steel
Finish:	Nickel
Opening degree:	165°
Diameter of hinge cup:	35mm
Depth of hinge cup:	11.5mm
Range for door thickness:	14 - 20mm
Dimension of door:	3 - 7mm
Cup hole distance:	45mm/48mm/52mm



CH-I041

Material:	Cold-rolled Steel
Finish:	Nickel
Opening degree:	165°
Diameter of hinge cup:	35mm
Depth of hinge cup:	11.5mm
Range for door thickness:	14 - 20mm
Dimension of door:	3 - 7mm
Cup hole distance:	45mm/48mm/52mm

Hinge specification:
(unit: mm / Φ: dia)



Interchangeable Base:



CORNER HINGE



CH-I036


Material:	Cold-rolled Steel
Finish:	Nickel
Opening degree:	90°
Diameter of hinge cup:	35mm
Depth of hinge cup:	11.5mm
Range for door thickness:	14 - 20mm
Dimension of door:	3 - 7mm
Cup hole distance:	45mm/48mm/52mm



CH-I038

Material:	Cold-rolled Steel
Finish:	Nickel
Opening degree:	135°
Diameter of hinge cup:	35mm
Depth of hinge cup:	11.5mm
Range for door thickness:	14 - 20mm
Dimension of door:	3 - 7mm
Cup hole distance:	45mm/48mm/52mm

Hinge specification:
(unit: mm / Φ: dia)



Interchangeable Base:



CORNER HINGE



CH-I042






Material:	Cold-rolled Steel
Finish:	Nickel
Opening degree:	30°
Diameter of hinge cup:	35mm
Depth of hinge cup:	11.5mm
Range for door thickness:	14 - 20mm
Dimension of door:	3 - 7mm
Cup hole distance:	45mm/48mm/52mm



CH-I034

Material:	Cold-rolled Steel
Finish:	Nickel
Opening degree:	45°
Diameter of hinge cup:	35mm
Depth of hinge cup:	11.5mm
Range for door thickness:	14 - 20mm
Dimension of door:	3 - 7mm
Cup hole distance:	45mm/48mm/52mm

Hinge specification:
(unit: mm / Φ: dia)



Interchangeable Base:



ONE WAY SS SOFT CLOSING HINGE



CH-S001

Material:	Stainless Steel 201 / 304
Finish:	/
Opening degree:	105°
Diameter of hinge cup:	35mm
Depth of hinge cup:	11.5mm
Range for door thickness:	14 - 20mm
Dimension of door:	3 - 7mm
Cup hole distance:	45mm/48mm/52mm




CH-S011

Material:	Stainless Steel 201
Finish:	/
Opening degree:	105°
Diameter of hinge cup:	35mm
Depth of hinge cup:	11.5mm
Range for door thickness:	14 - 20mm
Dimension of door:	3 - 7mm
Cup hole distance:	45mm/48mm/52mm



Hinge specification:
(unit: mm / Φ: dia)



Optional accessories:



Aluminum Frame Hinge



CH-JB01

Material: Cold-rolled Steel

Finish: Nickel

Opening degree: 105°



CH-JA01




Material: Cold-rolled Steel

Finish: Nickel


Opening degree: 105°



Hinge specification:
(unit: mm / Φ: dia)



Optional accessories:



Aluminum Frame Hinge



CH-JA06




Material:	Cold-rolled Steel
Finish:	Nickel
Opening degree:	165°





CH-JB03

Material:	Cold-rolled Steel
Finish:	Black
Opening degree:	165°

Hinge specification:
(unit: mm / Φ: dia)



Optional accessories:



Euro screw
Φ6.3mm

D8
M8 dowel
Φ8mm

D10
M10 dowel
Φ10mm

OTHER SERIES HINGE

SIMPLE HINGE



CH-B001



CH-B002



CH-B003



CH-F001

SOFT CLOSING SLIDE ON HINGE



CH-D020



CH-D022



CH-D006



CH-F002

SOFT CLOSING CLIP ON HINGE



CH-C027



CH-C011



CH-C013



CH-C016

OTHERS



CH-E018




CH-G001 (40mm)



CH-H004 (26mm)



CH-Z003




DS-SP52



Width:	45mm
Length:	250-600mm
Loading capacity:	35kg/450mm(18")
Material:	Cold-Rolled Steel
Finish:	Rainbow Zinc/Black
Packing:	15Pairs/Carton




35kg



DS-SP52

1.0*1.0*1.2mm

Installation Dimensions



FULL EXTENSION BALL BEARING SLIDE (SOFT CLOSING)


DS-SC51



Width:	45mm
Length:	250-600mm
Loading capacity:	45kg/450mm(18")
Material:	Cold-Rolled Steel
Finish:	Rainbow Zinc/Black
Packing:	15Pairs/Carton



45kg



DS-SC51	1.2*1.2*1.5mm
DS-SC513	1.0*1.0*1.2mm


DS-SC54



Width:	45mm
Length:	250-600mm
Loading capacity:	35kg/450mm(18")
Material:	Cold-Rolled Steel
Finish:	Rainbow Zinc/Black
Packing:	15Pairs/Carton



35kg



DS-SC54	1.0*1.0*1.2mm
DS-SC58	1.1*1.1*1.4mm
DS-SC516	0.9*0.9*1.0mm

FULL EXTENSION BALL BEARING SLIDE (SOFT CLOSING)


DS-SC10



Width:	45mm
Length:	250-600mm
Loading capacity:	35kg/450mm(18")
Material:	Cold-Rolled Steel
Finish:	Rainbow Zinc/Black
Packing:	15Pairs/Carton



35kg



DS-SC10	1.0*1.0*1.2mm
DS-SC14	0.9*0.9*1.0mm


DS-SC31



Width:	45mm
Length:	250-600mm
Loading capacity:	35kg/450mm(18")
Material:	Cold-Rolled Steel
Finish:	Rainbow Zinc/Black
Packing:	15Pairs/Carton



35kg



DS-SC31	1.0*1.0*1.2mm
DS-SC32	0.9*0.9*1.0mm


DS-SC55



Width:	35mm
Length:	250-600mm
Loading capacity:	25kg/450mm(18°)
Material:	Cold-Rolled Steel
Finish:	Rainbow Zinc/Black
Packing:	20Pairs/Carton



25kg



DS-SC55

1.0*1.0*1.0mm



FULL EXTENSION BALL BEARING SLIDE (PUSH OPEN)


DS-PO59



Width:	45mm
Length:	250-600mm
Loading capacity:	45kg/450mm(18")
Material:	Cold-Rolled Steel
Finish:	Rainbow Zinc/Black
Packing:	15Pairs/Carton



45kg



DS-PO59	1.2*1.1*1.4mm
DS-PO510	1.0*1.0*1.2mm
DS-PO513	0.9*0.9*0.9mm


DS-PO514



Width:	45mm
Length:	250-600mm
Loading capacity:	35kg/450mm(18")
Material:	Cold-Rolled Steel
Finish:	Rainbow Zinc/Black
Packing:	15Pairs/Carton



35kg



DS-PO514	1.0*1.0*1.2mm
DS-PO515	0.9*0.9*0.9mm

FULL EXTENSION BALL BEARING SLIDE (PUSH OPEN)


DS-PO31



Width:	45mm
Length:	250-600mm
Loading capacity:	35kg/450mm(18")
Material:	Cold-Rolled Steel
Finish:	Rainbow Zinc/Black
Packing:	15Pairs/Carton



35kg



DS-PO31	1.0*1.0*1.2mm
DS-PO32	0.9*0.9*0.9mm


DS-PO516



Width:	45mm
Length:	250-600mm
Loading capacity:	35kg/450mm(18")
Material:	Cold-Rolled Steel
Finish:	Rainbow Zinc/Black
Packing:	15Pairs/Carton



35kg




DS-PO516	1.0*1.0*1.2mm
DS-PO517	0.9*0.9*0.9mm

FULL EXTENSION BALL BEARING SLIDE



Length:	250-600mm
Loading capacity:	20kg-45kg
Material:	Cold-Rolled Steel
Finish:	Rainbow Zinc/Black
Packing:	15Pairs/Carton



①	②	③
0.6-1.2	0.6-1.2	0.6-1.5

Width & Thickness:

DS-4512	45mm	1.2*1.2*1.4mm	DS-4202	42mm	1.0*1.0*1.0mm	DS-3592	35mm	0.9*0.9*0.9mm
DS-4515	45mm	1.0*1.0*1.2mm	DS-4292	42mm	0.9*0.9*0.9mm	DS-3582	35mm	0.8*0.8*0.8mm
DS-4505	45mm	1.0*1.0*1.0mm	DS-4282	42mm	0.8*0.8*0.8mm	DS-3572	35mm	0.7*0.7*0.7mm
DS-4592	45mm	0.9*0.9*0.9mm	DS-4072	40mm	0.7*0.7*0.7mm	DS-3062	30mm	0.6*0.6*0.6mm
DS-4582	45mm	0.8*0.8*0.8mm	DS-4062	40mm	0.6*0.6*0.6mm	DS-3052	30mm	0.5*0.5*0.5mm

TWO FOLDS BALL BEARING SLIDE


DS-BK74



Width:	27mm
Length:	285mm
Loading capacity:	10kg/285mm
Material:	Cold-Rolled Steel
Finish:	Rainbow Zinc
Packing:	30Pairs/Carton



10kg



DS-BK74

0.7*0.7mm


DS-2703



Width:	27mm
Length:	250mm-500mm
Loading capacity:	10kg
Material:	Cold-Rolled Steel
Finish:	Rainbow Zinc
Packing:	30Pairs/Carton



10kg



DS-2703

0.7*0.7mm

POWDER COATING DRAWER SLIDE



PC-F001

Thickness:	0.7-1.2mm (After Painting)
Length:	250-600mm
Material:	Iron
Finish:	White/Brown
Packing:	25 Pairs/Carton




PC-F003

Thickness:	0.7-1.2mm (After Painting)
Length:	250-600mm
Material:	Iron
Finish:	White/Brown
Packing:	25 Pairs/Carton



HEAVY DUTY SLIDE


DS-5302



Width:	53mm
Length:	250-1500mm
Loading capacity:	100kg/450mm(18")
Material:	Cold-Rolled Steel
Finish:	Zinc
Packing:	5Pairs/Carton



100kg



DS-5302	2.0*2.0*2.0mm
DS-5303	2.0*1.8*1.8mm


DS-5304



Width:	53mm
Length:	250-1500mm
Loading capacity:	100kg/450mm(18")
Material:	Cold-Rolled Steel
Finish:	Zinc
Packing:	5Pairs/Carton



100kg



DS-5304	2.0*2.0*2.0mm
---------	---------------


DS-7602



Width:	76mm
Length:	250-1800mm
Loading capacity:	220kg/450mm(18")
Material:	Cold-Rolled Steel
Finish:	Zinc
Packing:	4Pairs/Carton



220kg




DS-7602

2.5*2.2*2.5mm


DS-7601



Width:	76mm
Length:	250-1800mm
Loading capacity:	220kg/450mm(18")
Material:	Cold-Rolled Steel
Finish:	Zinc
Packing:	4Pairs/Carton



220kg



DS-7601

2.5*2.2*2.5mm



DRAWER SYSTEM



TB-0681

Material:	Galvanized Steel
Finish:	Painting
Thickness:	1.5*2.0*1.5mm
Wood Board Thickness:	16mm
Color:	White/Grey/Dark Grey
Length:	300mm-550mm
Height:	68 mm
Loading capacity:	35kgs



TB-1191

Material:	Galvanized Steel
Finish:	Painting
Thickness:	1.5*2.0*1.5mm
Wood Board Thickness:	16mm
Color:	White/Grey/Dark Grey
Length:	300mm-550mm
Height:	119mm /151 mm
Loading capacity:	35kgs



TB-1831

Material:	Galvanized Steel
Finish:	Painting
Thickness:	1.5*2.0*1.5mm
Wood Board Thickness:	16mm
Color:	White/Grey/Dark Grey
Length:	300mm-550mm
Height:	183mm
Loading capacity:	35kgs



TB-0682

Material:	Galvanized Steel
Finish:	Painting
Thickness:	1.5*2.0*1.5mm
Wood Board Thickness:	16mm
Color:	White/Dark Grey
Length:	300mm-550mm
Height:	68 mm
Loading capacity:	35kgs



TB-1011

Material:	Galvanized Steel
Finish:	Painting
Thickness:	1.5*2.0*1.5mm
Wood Board Thickness:	16mm
Color:	White/Dark Grey
Length:	300mm-550mm
Height:	101 mm
Loading capacity:	35kgs



TB-1481

Material:	Galvanized Steel
Finish:	Painting
Thickness:	1.5*2.0*1.5mm
Wood Board Thickness:	16mm
Color:	White/Dark Grey
Length:	300mm-550mm
Height:	148 mm
Loading capacity:	35kgs

DRAWER SYSTEM



TB-0683

Material:	Galvanized Steel
Finish:	Painting
Thickness:	1.5*2.0*1.5mm
Wood Board Thickness:	16mm
Color:	White/Grey/Dark Grey
Length:	300mm-550mm
Height:	68 mm
Loading capacity:	35kgs



TB-1512

Material:	Galvanized Steel
Finish:	Painting
Thickness:	1.5*2.0*1.5mm
Wood Board Thickness:	16mm
Color:	White/Grey/Dark Grey
Length:	300mm-550mm
Height:	119mm /151 mm
Loading capacity:	35kgs



TB-1832

Material:	Galvanized Steel
Finish:	Painting
Thickness:	1.5*2.0*1.5mm
Wood Board Thickness:	16mm
Color:	White/Grey/Dark Grey
Length:	300mm-550mm
Height:	183 mm
Loading capacity:	35kgs



TB-0684

Material:	Galvanized Steel
Finish:	Painting
Thickness:	1.5*2.0*1.5mm
Wood Board Thickness:	16mm
Color:	White/Dark Grey
Length:	270mm-550mm
Height:	68 mm
Loading capacity:	35kgs



TB-1001


Material:	Galvanized Steel
Finish:	Painting
Thickness:	1.5*2.0*1.5mm
Wood Board Thickness:	16mm
Color:	White/Dark Grey
Length:	270mm-550mm
Height:	100 mm
Loading capacity:	35kgs



TB-1482

Material:	Galvanized Steel
Finish:	Painting
Thickness:	1.5*2.0*1.5mm
Wood Board Thickness:	16mm
Color:	White/Dark Grey
Length:	270mm-550mm
Height:	148 mm
Loading capacity:	35kgs

UNDERMOUNT SLIDE



UM-3C01

3 Folds 2D/3D Adjustment (Soft-closing)

Material:	Galvanized Steel
Thickness:	1.2*1.5*1.8mm
Length:	250-550mm
Loading capacity:	35kgs
Wood Board Thickness:	16/18mm



UM-2C01


2 Folds 2D Adjustment (Soft-closing)

Material:	Galvanized Steel
Thickness:	1.5*1.5*mm
Length:	250-550mm
Loading capacity:	25kgs
Wood Board Thickness:	16/18mm


Installation Dimensions

SKW= Internal Drawer Width

LW= Internal Cabinet Width



UNDERMOUNT SLIDE



UM-3C14

3 Folds 1D/3D Adjustment (Soft-closing)

Material:	Galvanized Steel
Thickness:	1.2*1.5*1.8mm
Length:	250-550mm
Loading capacity:	35kgs
Wood Board Thickness:	16/18mm



UM-2C07


2 Folds 1D Adjustment (Soft-closing)

Material:	Galvanized Steel
Thickness:	1.5*1.5*mm
Length:	250-550mm
Loading capacity:	25kgs
Wood Board Thickness:	16/18mm

Installation Dimensions

SKW= Internal Drawer Width

LW= Internal Cabinet Width



UNDERMOUNT SLIDE



UM-3C30

3 Folds 1D Adjustment (Soft-closing)

Material:	Galvanized Steel
Thickness:	1.4*1.4mm
Length:	250-550mm
Loading capacity:	25kgs
Wood Board Thickness:	16/18mm




UM-2C30

2 Folds 1D Adjustment (Soft-closing)

Material:	Galvanized Steel
Thickness:	1.4*1.4mm
Length:	250-550mm
Loading capacity:	25kgs
Wood Board Thickness:	16/18mm

Installation Dimensions SKW= Internal Drawer Width LW= Internal Cabinet Width



UNDERMOUNT SLIDE



UM-3C17

3 Folds 1D/2D/3D Adjustment (Soft-closing)


Material: Galvanized Steel

Thickness: 1.2*1.5*1.8mm

Length: 250-550mm

Loading capacity: 35kgs

Wood Board Thickness: 16/18mm



UM-3A01

3 Folds 1D/2D/3D Adjustment (Soft-closing American Design)

Material: Galvanized Steel

Thickness: 1.8*1.4*1.0mm

Length: 250-550mm


Loading capacity: 35kgs

Wood Board Thickness: 16/18mm

Installation Dimensions

SKW= Internal Drawer Width

LW= Internal Cabinet Width



UNDERMOUNT SLIDE



UM-3C08

3 Folds 2D Adjustment (Soft Closing & Push Open)

Material: Galvanized Steel

Thickness: 1.8*1.5*1.0mm

Length: 250-550mm

Loading capacity: 35kgs

Wood Board Thickness: 16/18mm



UM-3C16

3 Folds 1D/3D Adjustment (Push Open)

Material: Galvanized Steel

Thickness: 1.0*1.5*1.8mm

Length: 250-550mm


Loading capacity: 35kgs

Wood Board Thickness: 16/18mm

Installation Dimensions

SKW= Internal Drawer Width

LW= Internal Cabinet Width



UNDERMOUNT SLIDE

UM-3C02

3 Folds 2D Adjustment (Push Open)

Material:	Galvanized Steel
Thickness:	1.2*1.5*1.8mm
Length:	250-550mm
Loading capacity:	35kgs
Wood Board Thickness:	16/18mm



UM-2C06

2 Folds 2D Adjustment (Push Open)


Material:	Galvanized Steel
Thickness:	1.5*1.5mm
Length:	250-550mm
Loading capacity:	25kgs
Wood Board Thickness:	16/18mm



Installation Dimensions

SKW= Internal Drawer Width

LW= Internal Cabinet Width





UPTURNING LIFT SYSTEM



US-0008
Up and Over Lift System



Adjustable arm(11 gears on scale)

Model	Cabinet Height-KH (mm)	LF	Min-Max Weight(kg)
LD-01	500-600	3000-4500	5.0-9.0
LD-02	600-700	3000-4500	4.3-7.5
L	700-1040	4400-6600	4.2-9.4
MD	700-1040	4900-6800	4.7-9.7
M	700-1040	6500-8500	6.3-12.1
H	700-1040	8400-12000	8.1-17.0

LF=KH(mm)x(weight of doors + handle weight x 2)FW(kg)



US-0009
Vertical Lift-up Support Lift System



Aluminum Rod Rod Connector

Model	Cabinet Height-KH (mm)	Opening Net Height(mm)	Arm Length(mm)	Min-Max Weight(kg)	Cabinet Width(mm)
LD160	360-410	280	160	2.0-3.7	500-700
L160	360-410	280	160	3.3-5.0	650-1050
L210	410-500	366	210	2.4-4.0	500-750
M160	360-410	280	160	5.0-8.3	950-1200
M210	410-500	366	210	3.8-6.3	650-1100
M240	500-600	420	240	3.5-6.0	500-900
H210	410-500	366	210	6.3-9.0	950-1200
H240	500-600	420	240	5.5-7.8	750-1200

LF=KH(mm)x(weight of doors + handle weight x 2)FW(kg)



US-0011

Free Stop & Soft Closing Lift System



Quick type



Damper

Model	Cabinet Height-KH (mm)	LF	Min-Max Weight(kg)
M-350	350-700	2800-3800	4.0-10.8
H-400	400-700	3500-5800	5.0-14.5

LF=KH(mm)x(weight of doors + handle weight x 2)FW(kg)



US-0010

Free Stop Lift System



Force adjustment area

Model	Cabinet Height-KH (mm)	LF	Min-Max Weight(kg)	Open Angle
L	240-400	520-920	1.3-3.8	100°
	240-400	1040-1840	2.6-7.7	100°
M	300-400	1200-1750	3.0-5.8	100°
	300-400	2400-3500	6.0-11.7	100°
H	400-500	1500-2240	3.0-5.6	100°
	400-500	3000-4480	6.0-11.2	100°

LF=KH(mm)x(weight of doors + handle weight x 2)FW(kg)

UPTURNING LIFT SYSTEM



US-0001
Upturning Lift System




Quick type Force adjustment area

Model	Cabinet Height-KH (mm)	LF	Min-Max Weight(kg)
L-330	330-450	1200-1800	2.7-5.5
M-360	360-500	1700-2250	3.4-6.3
H-400	400-500	2100-3100	4.2-7.8
HD-400	400-500	2500-4000	5.0-10.0

$LF = KH(\text{mm}) \times (\text{weight of doors} + \text{handle weight} \times 2) \text{FW}(\text{kg})$



US-0004
Upward Free Stop Lift System



Force adjustment area

Force adjustment area

Model	Cabinet Height-KH (mm)	Cabinet Height-KH (mm)	Min-Max Weight(kg)	Usage advice
L	350-450	400-900	3.1-4.5	1pc
	350-500	700-1200	5.5-8.5	2Pcs
H	400-500	500-1200	5.0-6.0	1pc
	400-550	700-1500	9.0-11.0	2Pcs

$LF = KH(\text{mm}) \times (\text{weight of doors} + \text{handle weight} \times 2) \text{FW}(\text{kg})$



GAS SPRING



GS-P001

Tube:	20# precision seamless steel tube
Bar:	45# steel
Diameter of the tube:	15mm
Diameter of the bar:	6mm
Finish coating:	Chrome
Standard stroke:	90mm
Force:	40-250N

OTHER SERIES



REBOUND DEVICE



RD-A002

Material: Plastic
 Finish: White, Grey
 Push to open length: 20/40mm



RD-A004

Material: Plastic
 Finish: White, Grey
 Push to open length: 40mm



RD-A001

Material: Plastic+Iron/SS304
 Finish: White, Grey
 Push to open length: 40mm



RD-A008

Material: Alu Alloy+Plastic
 Finish: Silver, Gold
 Push to open length: 40mm



RD-A024

Material: Plastic
 Finish: White, Grey
 Push to open length: 40mm



RD-A026

Material: Plastic
 Finish: White, Grey
 Push to open length: 40mm



RD-C002

Material: Plastic
 Finish: White, Grey
 Push to open length: 40mm



RD-C005

Material: Plastic
 Finish: Silver, Gold
 Push to open length: 40mm



RD-C003

Material: Plastic
 Finish: White, Grey
 Push to open length: 40mm



RD-C006

Material: Plastic
 Finish: White, Grey
 Push to open length: 40mm



RD-C007

Material: Plastic+Iron
 Finish: White, Grey
 Push to open length: 40mm



RD-C004

Material: Plastic
 Finish: White, Grey
 Push to open length: 45mm

Optional accessories:








PB-014

Glass Kitchen Cabinet Pantry




Item	Specification	Width in Cabinet
PB-014A	L500*W414*H(1850-2150)mm	415mm
PB-014B	L500*W414*H(1650-1950)mm	415mm
PB-014C	L500*W414*H(1450-1750)mm	415mm
PB-014D	L500*W414*H(1150-1450)mm	415mm
PB-014E	L500*W564*H(1850-2150)mm	565mm
PB-014F	L500*W564*H(1650-1950)mm	565mm
PB-014G	L500*W564*H(1450-1750)mm	565mm
PB-014H	L500*W564*H(1150-1450)mm	565mm




PB-015

Wire Kitchen Cabinet Pantry




Item	Specification	Width in Cabinet
PB-015A	L500*W414*H(1850-2150)mm	415mm
PB-015B	L500*W414*H(1650-1950)mm	415mm
PB-015C	L500*W414*H(1450-1750)mm	415mm
PB-015D	L500*W414*H(1150-1450)mm	415mm
PB-015E	L500*W564*H(1850-2150)mm	565mm
PB-015F	L500*W564*H(1650-1950)mm	565mm
PB-015G	L500*W564*H(1450-1750)mm	565mm
PB-015H	L500*W564*H(1150-1450)mm	565mm



PB-016

Wire Kitchen Cabinet Pull-Out Pantry



Item	Specification	Width in Cabinet
PB-016A	L500*W350*H(1850-2200)mm	365mm
PB-016B	L500*W350*H(1700-2000)mm	365mm
PB-016C	L500*W350*H(1400-1700)mm	365mm
PB-016D	L500*W350*H(1150-1350)mm	365mm
PB-016E	L500*W250*H(1850-2200)mm	265mm
PB-016F	L500*W250*H(1700-2000)mm	265mm
PB-016G	L500*W250*H(1400-1700)mm	265mm
PB-016H	L500*W250*H(1150-1350)mm	265mm



PB-010

Swing Corner Tray



Item	Specification	Width in Cabinet
PB-010L	L490×W830×H(600-750)mm	865mm
PB-010R	L490×W830×H(600-750)mm	865mm

PULL-OUT BASKET



PB-002

Pull-Out Basket



Item	Specification	Width in Cabinet
PB-002A	L450*W830*H160mm	865mm
PB-002B	L450*W730*H160mm	765mm
PB-002C	L450*W680*H160mm	715mm
PB-002D	L450*W630*H160mm	665mm
PB-002E	L450*W530*H160mm	565mm



PB-003

Pull-Out Basket



Item	Specification	Width in Cabinet
PB-003A	L450*W830*H160mm	865mm
PB-003B	L450*W730*H160mm	765mm
PB-003C	L450*W680*H160mm	715mm
PB-003D	L450*W630*H160mm	665mm
PB-003E	L450*W530*H160mm	565mm

MULTI-FUNCTION PULL-OUT BASKET



PB-017

Multi-Function Pull-Out Wire Basket



Item	Specification	Width in Cabinet
PB-017	L450*W110*H465mm	115mm



PB-018

Multi-Function Side Pull-Out Wire Basket



Item	Specification	Width in Cabinet
PB-018A	L480*W240*H550mm	265mm
PB-018B	L480*W160*H550mm	165mm
PB-018C	L480*W110*H550mm	115mm

PULL-OUT MAGIC CORNER BASKET



PB-019

Glass Pull-Out Magic Corner Basket




Item	Specification	Width in Cabinet
PB-019	L490*W630*H590mm	865mm



PB-020

Wire Pull-Out Magic Corner Basket



Item	Specification	Width in Cabinet
PB-020	L485*W660*H590mm	865mm



PB-021

Glass Pull-Down Kitchen Lifting



Item	Specification	Width in Cabinet
PB-021A	L280*W860*H560mm	865mm
PB-021B	L280*W760*H560mm	765mm
PB-021C	L280*W660*H560mm	665mm
PB-021D	L280*W560*H560mm	565mm



PB-022

Wire Pull-Down Kitchen Lifting



Item	Specification	Width in Cabinet
PB-022A	L280*W860*H560mm	865mm
PB-022B	L280*W760*H560mm	765mm
PB-022C	L280*W660*H560mm	665mm
PB-022D	L280*W560*H560mm	565mm



PB-011

Stainless Steel Dish Rack



Item	Specification
PB-011A	L280*W965*H65mm
PB-011B	L280*W865*H65mm
PB-011C	L280*W765*H65mm
PB-011D	L280*W665*H65mm
PB-011E	L280*W565*H65mm
PB-011F	L280*W465*H65mm
PB-011G	L280*W365*H65mm



PB-012

Stainless Steel Trash Can

Item	Specification
PB-012A	L255*W310*H330mm (9L)
PB-012B	L275*W335*H350mm (14L)



PB-023

Double Sliding Trash Can


Item	Specification
PB-023	L350*W250*H450mm (10L*2)

FURNITURE FEET




FF-B001

Material: Iron
 Finish: Chrome/Brushed
 Specification: 40~150mm




FF-B003

Material: Iron
 Finish: Chrome/Brushed
 Specification: H80~100mm




FF-B004

Material: Iron/SS201
 Finish: Chrome/Brushed
 Specification: Size can be customized




FF-B002

Material: Iron
 Finish: Chrome/Brushed
 Specification: H80/100mm




FF-B006

Material: Iron
 Finish: Chrome/Brushed
 Specification: 60~120mm




FF-B007

Material: Iron
 Finish: Chrome/Brushed
 Specification: H50mm




FF-B039

Material: PP
 Finish: Black
 Specification: 80mm/100mm



FF-B039

Material: PP
 Finish: Black
 Specification: 120mm/150mm



FURNITURE FEET



FF-A001

Height:	10cm-72cm
Material:	Iron
Tube Thickness:	0.9mm
Sheet Thickness:	1.8mm
Finish:	Gold/Black/ Gold& Black /Silver
Packing:	40/60 Pcs/Carton



FF-A002

Height:	10cm-15cm
Material:	Iron
Thickness:	1.5mm
Finish:	Gold/Black/Silver
Packing:	100 Pcs/Carton



FF-A003

Height:	10cm-15cm
Material:	Iron
Thickness:	1.8/2.3mm
Finish:	Gold/Black/Silver
Packing:	40 Pcs/Carton



FF-A004

Height:	10cm-15cm
Material:	Iron
Thickness:	1.8/2.3mm
Finish:	Gold/Black/Silver
Packing:	40 Pcs/Carton

CLOSET ACCESSORIES



WD-T024

Diameter:	20*15/25*15/30*15mm
Material:	Cold Roll Steel
Thickness:	0.3mm~1.2mm
Finish:	Chrome Plated
Packing:	10 Pcs/Bulk



WD-S004

Diameter:	20*15/25*15/30*15mm
Material:	Zinc Alloy/Iron
Finish:	Nickel/Chrome/Zinc
Packing:	1000Pcs/Carton



WD-T017

Diameter:	16/19/25/38/42/50/76/80mm
Material:	Cold Roll Steel
Thickness:	0.3mm~1.2mm
Finish:	Chrome Plated
Packing:	10 Pcs/Bulk



WD-S006

Diameter:	16/19/25/38/42/50/76/80mm
Material:	Zinc Alloy/Iron
Finish:	Chrome/Satin
Packing:	500Pcs/Carton

AF-A001



Size: 300×127
 Hole Size: 291×111×25
 Material: Aluminum Alloy
 Finish: Matt Black/White/Silver

AF-A013



Size: 300×120
 Hole Size: 288×108×25
 Material: Aluminum Alloy
 Finish: Matt Silver

AF-A003



Size: 300×120
 Hole Size: 282×100×26
 Material: Aluminum Alloy
 Finish: Matt Black/White/Silver
 Stain Silver/Black

AF-A004



Size: 300×110
 Hole Size: 290×110×30
 Material: Aluminum Alloy + ABS
 Finish: Matt Silver

AF-A005



Size: 300×120
 Hole Size: 288×108×25
 Material: Aluminum Alloy
 Finish: Stain Black/Silver

AF-A006



Size: 300×127
 Hole Size: 291×111×25
 Material: Aluminum Alloy
 Finish: Matt Black/White

AF-A007



Size: 300×180
 Hole Size: 288×168×25
 Material: Aluminum Alloy
 Finish: Matt Black/White

AF-A008



Size: 400×180
 Hole Size: 388×168×25
 Material: Aluminum Alloy
 Finish: Matt Black/White

AF-A009



Size: 80×80
 Hole Size: 70×70×25
 Material: Aluminum Alloy
 Finish: Matt Silver

AF-A010



Size: 160×80
 Hole Size: 150×70×25
 Material: Aluminum Alloy
 Finish: Matt Silver

AF-A011



Size: 275×80
 Hole Size: 265×70×25
 Material: Aluminum Alloy
 Finish: Matt Silver

AF-A012



Size: 280×80
 Hole Size: 270×70×25
 Material: Aluminum Alloy
 Finish: Matt Silver

TP-A001

(Suitable for 4-20mm partition)



Weight: 80g
 Size: 44×33×65mm
 Material: Aluminum Alloy
 Finish: Matt Black/White/Silver
 Shiny White

TP-A002

(Suitable for 4-20mm partition)



Weight: 100g/110g
 Size: 44×33×90mm
 Material: Aluminum Alloy
 Finish: Matt Black/White/Silver

TP-A006

(Suitable for 4-20mm partition)



Weight: 110g/130g
 Size: 44×72×90mm
 Material: Aluminum Alloy
 Finish: Matt Black/White/Silver


TP-A007

(Suitable for 3-20mm partition)



Weight: 288g
 Size: 50×33×180mm
 Table Thickness: 47mm
 Material: Aluminum Alloy + Iron
 Finish: Matt Black/White/Silver

HANDLE



HD-A002

Material: Stainless Steel 201
 Type: Hollow/Solid
 Diameter: 12mm/10mm
 Height: 32mm
 Surface: Satin/Black/Gold

Hole Distance (mm)	64	96	128	160	192	224	256	288
Full-length (mm)	100	150	200	250	300	350	400	450



HD-A019

Material: Stainless Steel+Zinc Alloy
 Type: Hollow
 Diameter: 14mm
 Height: 35mm
 Surface: Brushed/Black/Gold

Hole Distance (mm)	96	128	160	192
Full-length (mm)	118	150	182	214



HD-A020

Material: Stainless Steel
 Type: Hollow
 Diameter: 12mm
 Height: 35mm
 Surface: Brushed/Black/Gold

Hole Distance (mm)	96	128	160	192
Full-length (mm)	108	140	172	204



HD-A021

Material: Aluminum Alloy+Plastic
 Type: Hollow
 Diameter: 12mm/10mm
 Height: 32mm
 Surface: Brushed/Black/Gold

Hole Distance (mm)	96	128	160	192
Full-length (mm)	146	178	210	242

HANDLE



HD-A018

Material: Stainless Steel 201

Type: Hollow/Solid

Diameter: 12mm/10mm

Height: 35mm

Surface: Brushed/Black/Gold

Hole Distance (mm)	96	128	160	192
Full-length (mm)	150	200	250	300



HD-B002

Material: Aluminium Alloy

Type: Hollow

Height: 22mm

Surface: Chrome/Silver/Gold/Grey/Black

Hole Distance: 96/128/160/192mm



HD-B001

Material: Aluminium Alloy

Type: Hollow

Height: 22mm

Surface: Chrome/Silver/Gold/Grey/Black

Hole Distance: 96/128/160/192mm



HD-B033

Material: Aluminium Alloy

Type: Hollow

Height: 22mm

Surface: Chrome/Silver/Gold/Grey/Black

Hole Distance: 96/128/160/192mm

HANDLE



HD-A026

Material: Aluminum Alloy
 Type: Solid
 Height: 32mm
 Surface: Brushed/Black/Gold

Hole Distance (mm)	96	128	160	192
Full-length (mm)	106	138	170	202



HD-A027

Material: Aluminum Alloy
 Type: Solid
 Height: 35mm
 Surface: Brushed/Black/Gold

Hole Distance (mm)	96	128	160	192
Full-length (mm)	108	140	172	204



HD-B026

Material: Aluminium Alloy
 Type: Hollow
 Height: 22mm
 Surface: Chrome/Silver/Gold/Grey/Black
 Hole Distance: 96/128/160/192/224/320mm



HD-A028

Material: Aluminum Alloy
 Height: 35mm
 Surface: Brushed/Black/Gold


Hole Distance (mm)	96	128	160
Full-length (mm)	160	192	224

DRAWER LOCK




FL-CF18

Material:	Zinc Alloy
Finish:	Nickel / Chrome / Gold
Lock Cylinder:	D19*L22mm/D19*L32mm
Packing:	240sets/Carton




FL-CF17

Material:	Zinc Alloy
Finish:	Nickel / Chrome / Gold
Lock Cylinder:	D19*L22mm
Packing:	240sets/Carton



FL-CD03

Material:	Iron
Finish:	Nickel / Chrome / Gold
Lock Cylinder:	D19*L22mm/D19*L32mm
Packing:	240sets/Carton



Optional keys:



Optional accessories:




DRAWER LOCK




FL-B001

Material: Iron
 Finish: Nickel / Chrome / Gold
 Lock Cylinder: D19*L22mm/D19*L32mm
 Packing: 240sets/Carton




FL-CF08

Material: Zinc Alloy
 Finish: Nickel / Chrome / Gold
 Lock Cylinder: D19*L22mm
 Packing: 240sets/Carton



FL-B003

Material: Zinc Alloy+Iron
 Finish: Nickel / Chrome / Gold
 Lock Cylinder: D19*L22mm/D19*L32mm
 Packing: 240sets/Carton



Optional keys:



Optional accessories:




DRAWER LOCK




FL-CA01

Material: Zinc Alloy+Iron
Finish: Nickel / Chrome / Gold
Lock Cylinder: D22*L22mm
Packing: 240sets/Carton




FL-CD01

Material: Zinc Alloy+Iron
Finish: Nickel / Chrome / Gold
Lock Cylinder: D17*L22mm/D17*L31mm
Packing: 240sets/Carton



FL-CF11

Material: Zinc Alloy
Finish: Nickel / Chrome / Black/Gold/
 Red Bronze / Green Bronze
Lock Cylinder: D19*L16/20mm
Packing: 240sets/Carton



Optional keys:



Optional accessories:





DRAWER LOCK




FL-CF13/14/15/16

Material: Zinc Alloy
 Finish: Nickel / Chrome / Gold
 Lock Cylinder: D18*L16/20/25/30mm
 Packing: 240sets/Carton




FL-CF07

Material: Zinc Alloy+Aluminum
 Finish: Nickel / Chrome / Gold
 Lock Cylinder: D16*L20mm/D19*L20mm
 Packing: 120sets/Carton



FL-CF06

Material: Zinc Alloy+Aluminum
 Finish: Nickel / Chrome / Gold
 Lock Cylinder: D16*L20mm/D19*L20mm
 Packing: 120sets/Carton




Optional keys:



Optional accessories:



SLIDING DOOR FITTINGS



DF-C001

Material:	Zinc Alloy+Steel+Plastic
Finish:	Silver+White
Door Weight:	40kgs
Packing:	20 sets/Carton



DF-C002

Material:	Zinc Alloy+Steel+Plastic
Finish:	Silver+Grey
Door Weight:	40kgs
Packing:	20 sets/Carton



DF-C003


Material:	Zinc Alloy+Steel+Plastic
Finish:	Silver+Grey
Door Weight:	40kgs
Packing:	20 sets/Carton



DF-C004

Material:	Zinc Alloy+Steel+Plastic
Finish:	Silver+Green
Door Weight:	40kgs
Packing:	20 sets/Carton

SLIDING DOOR FITTINGS



DF-C005

Material:	Steel+Plastic
Finish:	Black+White
Door Weight:	30kgs
Packing:	30 sets/Carton



DF-C006

Material:	Steel+Plastic
Finish:	Silver+Black+White
Door Weight:	30kgs
Packing:	30 sets/Carton



DF-C007

Material:	Steel+Plastic
Finish:	Silver
Door Weight:	30kgs
Packing:	30 sets/Carton



DF-B030

Material:	Steel+Plastic
Finish:	Silver+Orange/Silver+White
Door Weight:	30kgs
Packing:	240 sets/Carton

SLIDING DOOR FITTINGS



DF-B020

Material:	Steel+Plastic
Finish:	Silver
Door Weight:	30kgs
Packing:	30 sets/Carton



DF-B021

Material:	Steel+Plastic
Finish:	Silver
Door Weight:	30kgs
Packing:	30 sets/Carton



DF-B022

Material:	Steel+Plastic
Finish:	Silver
Door Weight:	30kgs
Packing:	30 sets/Carton



DF-M005

Material:	Steel+Plastic
Finish:	Silver
Door Weight:	45kgs
Packing:	50 sets/Carton

SLIDING DOOR FITTINGS



DF-M001

Material:	Steel+Plastic
Finish:	Silver
Door Weight:	15kgs
Packing:	50 sets/Carton



DF-M002

Material:	Steel+Plastic
Finish:	Silver
Door Weight:	30kgs
Packing:	50 sets/Carton



DF-M003

Material:	Steel+Plastic
Finish:	Silver
Door Weight:	50kgs
Packing:	50 sets/Carton



DF-M004

Material:	Steel+Plastic
Finish:	Silver
Door Weight:	80kgs
Packing:	50 sets/Carton

LATCH & CROSS HINGE



PZ-A004

Length:	40mm/50mm/60mm/70mm
Material:	Brass / Zinc Alloy
Finish:	Primary Color/Nickel
Packing:	1800/1800/1000/560Pcs/Carton



PZ-A001

Material:	Iron
Finish:	Zinc/Nickel/Antique Bronze/ Antique Cooper/Black
Packing:	1000Pcs/Carton



DK-A001/A002/A003/A004

Material:	Zinc Alloy+Stainless Steel
Finish:	Brushed/chrome
Size:	13*45/13*60/16*70/19*95
Packing:	200/100/100/60Pcs/Carton




DK-A005/A006/A007

Material:	Zinc Alloy+Stainless Steel
Finish:	Brushed/chrome
Size:	25*118/28*118/34*138
Packing:	20Pcs/Carton

SOFT CLOSING DOOR HINGE


DH-C001

Material: Zinc Alloy
 Finish: Black/Gold/Silver
 Size: 132mm*96mm
 Packing: 2Pcs/set, 20 sets/Carton




DH-C002

Material: Zinc Alloy
 Finish: Black/Gold/Silver
 Size: 150mm*65mm
 Packing: 2Pcs/set, 20 sets/Carton



AMERICAN HINGE



AH-A002

Variable Overlay, Self-Closing Hinge

Thickness: 1.2mm/1.3mm/1.4mm/1.5mm

Material: Iron

Finish: Antique Bronze/Antique Cooper

White Zinc/Polished Chrome

White Finish/Matte Black

Bright Nickel/Satin Nickel



AH-A003

Non Self-Closing RV Hinge

Thickness: 1.2mm


Material: Iron

Finish: Antique Bronze/Antique Cooper

White Zinc/Polished Chrome

White Finish/Matte Black

Bright Nickel/Satin Nickel



AH-A004

3/8-Inch Inset, Self-Closing Hinge

Thickness: 1.5mm


Material: Iron

Finish: Antique Bronze/Antique Cooper

White Zinc/Polished Chrome

White Finish/Matte Black

Bright Nickel/Satin Nickel



AH-A005

Partial Wrap 1/2-Inch Inset, Self-Closing Hinge

Thickness: 1.5mm

Material: Iron

Finish: Antique Bronze/Antique Cooper

White Zinc/Polished Chrome

White Finish/Matte Black

Bright Nickel/Satin Nickel

CABINET CATCH



RD-CX18

Size:	45*15*14mm
Material:	Plastic+Steel
Color:	Black/Brown/White
Packing:	1800sets/Carton



RD-CX17

Size:	60*15*16mm
Material:	Plastic+Steel
Color:	Black/Brown/White
Packing:	1200sets/Carton



RD-CX16

Size:	57*25*15mm
Material:	Plastic+Steel
Color:	Black/Brown/White
Packing:	900sets/Carton



RD-CX15

Size:	73*22*16mm
Material:	Plastic+Steel
Color:	Black/Brown/White
Packing:	640sets/Carton

CABINET CATCH



RD-CX14

Size:	96*20*14mm
Material:	Plastic+Steel
Color:	Black/Brown/White
Packing:	600sets/Carton



RD-CX13

Size:	40*19*12mm
Material:	Plastic+Steel
Color:	Black/Brown/White
Packing:	1440sets/Carton



RD-CX08

Size:	58*34*16mm
Material:	ABS
Color:	Black/Brown/White
Packing:	600sets/Carton



RD-CX07

Size:	41*29*41mm
Material:	ABS
Color:	Black/Brown/White
Packing:	1200sets/Carton

CABINET CATCH



RD-CX06

Size:	40*30*15mm
Material:	ABS
Color:	Black/Brown/White
Packing:	1200sets/Carton



RD-CX05

Size:	42*55*16mm
Material:	ABS
Color:	Black/Brown/White
Packing:	600sets/Carton



RD-CX04

Size:	43*42*15mm
Material:	ABS
Color:	Black/Brown/White
Packing:	600sets/Carton



RD-CX03

Size:	32*40*41mm
Material:	ABS
Color:	Black/Brown/White
Packing:	500sets/Carton



CABINET SUSPENSION HANGER



SH-A003

Material:	PS+Iron
Color:	White
Loading Capacity:	100kgs/pair
Finish:	PS+Iron
Packing:	100 Pairs/Carton




SH-A004

Material:	ABS+Iron
Color:	White
Loading Capacity:	100kgs/pair
Finish:	White/Grey
Packing:	100 Pairs/Carton



SH-A015

Material:	ABS+Iron
Color:	White
Loading Capacity:	100kgs/pair
Finish:	Zinc+White
Packing:	100Pairs/Carton



SH-A023

Material:	ABS+Iron
Color:	White
Loading Capacity:	240kgs/pair
Finish:	Zinc+White
Packing:	50Pairs/Carton

CABINET SUSPENSION HANGER



SH-B001

Material:	Iron
Loading Capacity:	140kgs/pair
Finish:	Zinc
Packing:	100 Pairs/Carton




SH-B003

Material:	ABS+Iron
Loading Capacity:	140kgs/pair
Finish:	Zinc
Packing:	100 Pairs/Carton



SH-B006

Material:	Steel
Loading Capacity:	140kgs/pair
Finish:	Zinc
Packing:	100Pairs/Carton




SH-B007

Material:	Steel
Loading Capacity:	75kgs/pair
Finish:	Zinc
Packing:	50Pairs/Carton

SW-1201




Material: Iron+Plastic
 Finish:Zinc
 Packing:3000Pcs/Carton



SW-1202




Material: Iron+Plastic
 Finish:Zinc
 Packing:3000Pcs/Carton



SW-1203




Material: Iron+Plastic
 Finish:Zinc
 Packing:3000Pcs/Carton



SW-1204




Material: Iron+Plastic
 Finish:Zinc
 Packing:3000Pcs/Carton



SW-1205




Material: Iron+Plastic
 Finish:Zinc
 Packing:3000Pcs/Carton



SW-1206




Material: Iron+Plastic
 Finish:Zinc
 Packing:3000Pcs/Carton



SW-1207




Material: Iron+Plastic
 Finish:Zinc
 Packing:3000Pcs/Carton



SW-1208




Material: Iron+Plastic
 Finish:Zinc
 Packing:3000Pcs/Carton






SW-1209

Material: Iron+Plastic
 Finish:Zinc
 Packing:3000Pcs/Carton





SW-1210

Material: Iron+Plastic
 Finish:Zinc
 Packing:3000Pcs/Carton




SW-1211

Material: Iron+Plastic
 Finish:Zinc
 Packing:3000Pcs/Carton





SW-1212

Material: Iron+Plastic
 Finish:Zinc
 Packing:3000Pcs/Carton




SW-1213

Material: Iron+Plastic
 Finish:Zinc
 Packing:3000Pcs/Carton




SW-1214

Material: Iron+Plastic
 Finish:Zinc
 Packing:3000Pcs/Carton




SW-1215

Material: Iron+Plastic
 Finish:Zinc
 Packing:3000Pcs/Carton



SW-1216


Material: Iron+Plastic
 Finish:Zinc
 Packing:3000Pcs/Carton






SW-1301

Material: Zinc Alloy
 Finish: Zinc / Nickel
 Board Thickness: 12mm
 Packing: 5000 Pcs/Carton




SW-1302

Material: Zinc Alloy
 Finish: Zinc / Nickel
 Board Thickness: 12mm
 Packing: 5000 Pcs/Carton




SW-1303

Material: Zinc Alloy
 Finish: Zinc / Nickel
 Board Thickness: 15/16mm
 Packing: 5000 Pcs/Carton




SW-1304

Material: Zinc Alloy
 Finish: Zinc / Nickel
 Board Thickness: 15/16mm
 Packing: 5000 Pcs/Carton




SW-1305

Material: Zinc Alloy
 Finish: Zinc / Nickel
 Board Thickness: 15/16mm
 Packing: 5000 Pcs/Carton




SW-1306

Material: Zinc Alloy
 Finish: Zinc / Nickel
 Board Thickness: 15/16mm
 Packing: 5000 Pcs/Carton




SW-1307

Material: Zinc Alloy
 Finish: Zinc / Nickel
 Board Thickness: 18mm
 Packing: 5000 Pcs/Carton



SW-1308

Material: Zinc Alloy
 Finish: Zinc / Nickel
 Board Thickness: 18mm
 Packing: 5000 Pcs/Carton



Fortune Plus Technology (Guangzhou) Limited

W. www.fortune-plus.com

M. 020-82226081 F . 020-82221236

Guangzhou: 13F,NO.2 Uni Park, Panyu Guangzhou,China

Jieyang: Panfu Rd, Chengxi Community, Pandong Town, Jieyang, China