


FORMOR

PRODUCT MANUALS



Fortune Plus Technology (Guangzhou) Limited

UNDERMOUNT SLIDE



UM-3C01

3 Folds 2D/3D Adjustment (Soft-closing)

Material:	Galvanized Steel
Thickness:	1.2*1.5*1.8mm
Length:	250-550mm
Loading capacity:	35kgs
Wood Board Thickness:	16/18mm



UM-2C01


2 Folds 2D Adjustment (Soft-closing)

Material:	Galvanized Steel
Thickness:	1.5*1.5*mm
Length:	250-550mm
Loading capacity:	25kgs
Wood Board Thickness:	16/18mm


Installation Dimensions

SKW= Internal Drawer Width

LW= Internal Cabinet Width



UNDERMOUNT SLIDE



UM-3C14

3 Folds 1D/3D Adjustment (Soft-closing)

Material:	Galvanized Steel
Thickness:	1.2*1.5*1.8mm
Length:	250-550mm
Loading capacity:	35kgs
Wood Board Thickness:	16/18mm




UM-2C07

2 Folds 1D Adjustment (Soft-closing)

Material:	Galvanized Steel
Thickness:	1.5*1.5*mm
Length:	250-550mm
Loading capacity:	25kgs
Wood Board Thickness:	16/18mm

Installation Dimensions SKW= Internal Drawer Width LW= Internal Cabinet Width




UNDERMOUNT SLIDE



UM-3C30

3 Folds 1D Adjustment (Soft-closing)

Material:	Galvanized Steel
Thickness:	1.4*1.4mm
Length:	250-550mm
Loading capacity:	25kgs
Wood Board Thickness:	16/18mm




UM-2C30

2 Folds 1D Adjustment (Soft-closing)

Material:	Galvanized Steel
Thickness:	1.4*1.4mm
Length:	250-550mm
Loading capacity:	25kgs
Wood Board Thickness:	16/18mm

Installation Dimensions SKW= Internal Drawer Width LW= Internal Cabinet Width



UNDERMOUNT SLIDE



UM-3C17

3 Folds 1D/2D/3D Adjustment (Soft-closing)


Material: Galvanized Steel

Thickness: 1.2*1.5*1.8mm

Length: 250-550mm

Loading capacity: 35kgs

Wood Board Thickness: 16/18mm



UM-3A01

3 Folds 1D/2D/3D Adjustment (Soft-closing American Design)

Material: Galvanized Steel

Thickness: 1.8*1.4*1.0mm

Length: 250-550mm


Loading capacity: 35kgs

Wood Board Thickness: 16/18mm

Installation Dimensions

SKW= Internal Drawer Width

LW= Internal Cabinet Width



UNDERMOUNT SLIDE



UM-3C08

3 Folds 2D Adjustment (Soft Closing & Push Open)

Material: Galvanized Steel

Thickness: 1.8*1.5*1.0mm

Length: 250-550mm

Loading capacity: 35kgs

Wood Board Thickness: 16/18mm



UM-3C16

3 Folds 1D/3D Adjustment (Push Open)

Material: Galvanized Steel


Thickness: 1.0*1.5*1.8mm

Length: 250-550mm

Loading capacity: 35kgs

Wood Board Thickness: 16/18mm

Installation Dimensions SKW= Internal Drawer Width LW= Internal Cabinet Width



UNDERMOUNT SLIDE

UM-3C02

3 Folds 2D Adjustment (Push Open)

Material:	Galvanized Steel
Thickness:	1.2*1.5*1.8mm
Length:	250-550mm
Loading capacity:	35kgs
Wood Board Thickness:	16/18mm



UM-2C06

2 Folds 2D Adjustment (Push Open)


Material:	Galvanized Steel
Thickness:	1.5*1.5mm
Length:	250-550mm
Loading capacity:	25kgs
Wood Board Thickness:	16/18mm



Installation Dimensions

SKW= Internal Drawer Width

LW= Internal Cabinet Width



Fortune Plus Technology (Guangzhou) Limited

W. www.fortune-plus.com

M. 020-82226081 F . 020-82221236

Guangzhou: 13F,NO.2 Uni Park, Panyu Guangzhou,China

Jieyang: Panfu Rd, Chengxi Community, Pandong Town, Jieyang, China